0		2003/04/13	EPO; JPO; DERWENT; IBM_TDB	(((((CONVEY\$3 SAME (SCANN\$3 OR READ\$3))) SAME ((LOCATION OR DISTANCE OR OBJECT) NEAR3 (SENS\$3 OR DETECT\$3))) SAME ((DATAFORM OR BARCODE) OR ((READABLE OR BAR OR OPTICAL) ADJ1 (INDICIA OR LABEL OR CODE)))) and @pd>20021031	0	L16	BRS	o .
0		2003/04/13	USPAT; US-PGPUB	SAME SAME R OBJI TECT\$ BARCO BAR (IND:	31	L15	BRS	И
0		2003/04/13 15:20	DERWENT	((ISHII-K.IN.) AND (NEC.AS.)) and @pd>20021031	N	L14	BRS	4
0		2003/04/13 15:19	USPAT; US-PGPUB	Ishii-Kazuo.in. and @pd>20021031	3 11	L13	BRS	ω
0		2003/04/13	USPAT; US-PGPUB		16	L12	BRS	N
0		2003/04/13 14:59	USPAT; US-PGPUB	5525788.pn. and (focus\$4)	1	L11	BRS	Н
мнонн	Error Definition	Time Stamp e	DBs	Search Text	# # # # t	r	Тур	

	2003/04/13 15:46	USPAT; US-PGPUB	(scan,4 read,3) same ((distance range mov\$5) near5 (focus\$3) near5 (continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3)) and @pd>20021031	ω	5 L21	BRS	11
	2003/04/13	EPO; JPO; DERWENT; IBM_TDB	\$3 mear5 3 multipl reader re scanning 1) same label) a 21031	0 0	S L20	BRS	10
	2003/04/13 15:31	USPAT; US-PGPUB	(convey\$3 near5 (second plural\$3 multiple several) near5 (reader reading scanner scanning imag\$3 camera\$1)) same (symbol code indicia label) and @pd>20021031	<u></u> 0	S L19	BRS	9
	2003/04/13 15:29	EPO; JPO; DERWENT; IBM_TDB	$\sigma \sim \tau \sim$.8 O	S L18	BRS	8
	2003/04/13 15:27	USPAT; US-PGPUB	(((((CONVEY\$3 SAME (SCANN\$3)) GR READ\$3)) SAME ((MULTIPLE OR REVERAL OR PLURAL\$3) NEAR3 (SENS\$3 OR USPAT; DETECT\$3))) SAME ((LOCATION US-PGPUB OR DISTANCE OR OBJECT) NEAR3 (SENS\$3 OR DETECT\$3))) and @pd>20021031	N	S L17	BRS	7
Error Definition	Time Stamp e	DB &	Search Text	# Hi: t	ਾ ਰ	Тур	

	2003/04/13 15:58	2003, 15:58	USPAT; US-PGPUB	convey\$3 same (rocus\$4 near5 (distance movement moving moves travel\$4)) and @pd>20021031	37	L28	BRS	18
	2003/04/13	2003,	EPO; JPO; DERWENT; IBM_TDB	same ((continus)) near5 (adjus) chang\$3) near5 and @pd>20021	0	Ь27	BRS	17
	2003/04/13 15:54	2003, 15:5	EPO; JPO; DERWENT; IBM_TDB	ህ አርር አርር	0	L26	BRS	16
	/04/13 4	2003/04/ 15:54	EPO; JPO; DERWENT; IBM_TDB	(scan\$4 read\$3) same ((distance range mov\$5) near5 (focus\$3) near5 (continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3)) and @pd>20021031	0	L25	BRS	15
	2003/04/13 15:53	2003	EPO; JPO; DERWENT; IBM_TDB	(scan\$4 read\$3) same ((distance range mov\$5) near5 (focus\$3) near5 (continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3)) and @pd>20021031	0	L24	BRS	14
	2003/04/13 15:52	2003	USPAT; US-PGPUB	<pre>convey\$3 same ((continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3) near5 focus\$4) and @pd>20021031</pre>	0	L23	BRS	13
	2003/04/13 15:49	2003	USPAT; US-PGPUB	<pre>convey\$3 near5 (continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3) near5 focus\$4 and @pd>20021031</pre>	0	L22	BRS	12
Error Definition	s t t t t t t t t t t t t t t t t t t t	Time	DBs	Search Text	8 H	۲ #	Тур	

0		2003/04/13 16:20	EPO; JPO; DERWENT; IBM_TDB	<pre>convey\$3 same ((front near5 (back rear)) near5 (scan\$4 read\$3)) and @pd>20021031</pre>	Р	L34	BRS	24
0		2003/04/13 16:13	USPAT; US-PGPUB	<pre>convey\$3 same ((front near5 (back rear)) near5 (scan\$4 read\$3)) and @pd>20021031</pre>	13	L33	BRS	23
0		2003/04/13	USPAT; US-PGPUB	convey\$3 same ((front near5 (back rear)) near5 (scan\$4 read\$3 imag\$3) near5 (barcode dataform indicia label code symbol)) and @pd>20021031	0	L32	BRS	22
0		2003/04/13	USPAT; US-PGPUB	<pre>convey\$3 same ((front near5 (back rear)) near5 (scan\$4 read\$3 imag\$3)) and @pd>20021031</pre>	23	L31	BRS	21
0		2003/04/13	EPO; JPO; DERWENT; IBM_TDB	<pre>convey\$3 same (focus\$4 near5 (distance movement moving moves travel\$4)) same (continuous\$2 constant\$2) and @pd>20021031</pre>	0	L30	BRS	20
0		2003/04/13 16:03	USPAT; US-PGPUB	<pre>(convey\$3 same (focus\$4 near5 (distance movement moving moves travel\$4))) same (continuous\$2 constant\$2) and @pd>20021031</pre>	27	L29 27	BRS	19
инонны	Error Definition	Time Stamp e	DBs	Search Text	Hit Hit	L #	Тур	

0		2003/04/13	EPO; JPO; DERWENT; 1 IBM_TDB	(box carton container good\$1 object) same (multiple plural\$3 several second) near5 (code\$1 indicia label\$1 barcode\$1 dataform\$1) near5 (front rear back leading trailing)) and @pd>20021031	0	L37	BRS	27
0		003/04/13 6:25	USPAT; 2003/04/13 US-PGPUB 16:25	(box carton container good\$1 object) same (multiple plural\$3 several second) near5 (code\$1 indicia label\$1 barcode\$1 dataform\$1) near5 (front rear back leading trailing)) and @pd>20021031	12	L36	BRS	26
0		003/04/13 6:22	USPAT; 2003/04, US-PGPUB 16:22	((box carton container good\$1 object) same ((multiple plural\$3 several second) near5 (code\$1 indicia label\$1 barcode\$1 dataform\$1) near5 (surface\$1 side\$1 front rear back)) same (read\$3 scan\$4 imag\$3) and @pd>20021031	ω	L35	BRS	25
инонны	Error Definition	Time Stamp e	DBs	Search Text	# # # #	Ľ	Тур	

£

•

0		2002/06/18 10:01	EPO; JPO; DERWENT; IBM_TDB	(((((CONVEY\$3 SAME (SCANN\$3 OR READ\$3))) SAME ((LOCATION OR DISTANCE OR OBJECT) NEAR3 ((SENS\$3 OR DETECT\$3)))) SAME ((DATAFORM OR BARCODE) OR ((READABLE OR BAR OR OPTICAL) ADJ1 (INDICIA OR LABEL OR CODE)))) and @pd>20020111	0	BRS	69
0		2002/06/18	USPAT; US-PGPUB		o	BRS	8
0		2002/06/18 09:56	DERWENT) AND 111	ω	BRS	67
0		2002/06/18 09:55	USPAT; US-PGPUB	Ishii-Kazuo.in. and @pd>20020111	ω	BRS	66
0		706/	USPAT; US-PGPUB	Yamaguchi-Mikio.in. and @pd>20020111	0	BRS	59
0		2002/06/18	USPAT; US-PGPUB	(235/454.ccls. 235/462.01.ccls. 235/462.22.ccls. 235/462.23.ccls. 235/462.31.ccls. 235/462.32.ccls. 235/462.32.ccls. 235/470.ccls.) and @pd>20020111	100	BRS	64
инонны	Error Definition	Time Stamp e	DBs	Search Text	Hi.	Туре	

0		2002/06/18	USPAT; US-PGPUB	<pre>convey\$3 near5 (continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3) near5 focus\$4</pre>	Н	BRS	75
0		2002/06/18	USPAT; US-PGPUB	read\$3 .ce rar) near \$2) ne 3 char	19	BRS	74
0		2002/06/18	EPO; JPO; DERWENT; IBM_TDB	<pre>(convey\$3 near5 (second plural\$3 multiple several) near5 (reader reading scanner scanning imag\$3 camera\$1)) same (symbol code indicia label) and @pd>20020111</pre>	0	BRS	73
0		2002/06/18	USPAT; US-PGPUB	(convey\$3 near5 (second plural\$3 multiple several) near5 (reader reading scanner scanning imag\$3 camera\$1)) same (symbol code indicia label) and @pd>20020111	ر س	BRS	72
0		2002/06/18	EPO; JPO; DERWENT; IBM_TDB	<pre>convey\$3 near5 (read\$3 scan\$4 imag\$3) near5 (front leading) near5 (back rear trailing) and @pd>20020111</pre>	Н	BRS	71
0		2002/06/18	USPAT; US-PGPUB	(((((CONVEY\$3 SAME (SCANN\$3 OR READ\$3))) SAME ((MULTIPLE OR SEVERAL OR PLURAL\$3) NEAR3 (SENS\$3 OR DETECT\$3)))) SAME ((LOCATION OR DISTANCE OR OBJECT) NEAR3 (SENS\$3 OR DETECT\$3))) and @pd>20020111	4	BRS	70
инонны	Error Definition	Time Stamp e	DBs	Search Text	Type Hits	Туре	

: <u>:</u>

0		18	2002/06/1 10:49	USPAT; US-PGPUB	(convey\$3 same (focus\$4 near5 (distance movement moving moves travel\$4))) same (continuous\$2 constant\$2)	33 m	BRS	83
0		18	2002/06/1 10:42	USPAT	"5483051" "5483051" "5693930" "6053409").1	8	BRS	8 2
0		18	2002/06/18 10:59	USPAT; US-PGPUB	amo mo el:	159 (m	BRS	81
0		/18	2002/06/1 10:38	USPAT; US-PGPUB	same focus\$4	2998 c	BRS	80
0		/18	2002/06/:	EPO; JPO; DERWENT; IBM_TDB	<pre>convey\$3 same ((continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3) near5 focus\$4)</pre>	H 0 0 0	BRS	79
0		/18	2002/06/:	ENT;	3 nears t\$2) ne \$3 char	H 0 0 0	BRS	78
0		/18	2002/06,	EPO; JPO; DERWENT; IBM_TDB	read\$; ce ra; nea; pea; pea; pea; pea; pea; pea; pea; p	3	BRS	77
-		/18	2002/06/	USPAT; US-PGPUB	<pre>convey\$3 same ((continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3) near5 focus\$4)</pre>	ω	BRS	76
мноны	Error Definition	S t t e e t t e c C d e e c c c c c c c c c c c c c c c c c	Time Sta	DBs	Search Text	Hits	Туре	

•

•••	*****	****				
	2002/06/18 14:27	USPAT; 2	object) same ((multiple plural\$3 several second) near5 (code\$1 indicia label\$1 barcode\$1 dataform\$1) near5 (surface\$1 side\$1 front rear back))	515 b 50 50 50 50	BRS	89
	2002/06/18	EPO; JPO; DERWENT; IBM_TDB	ey\$3 same ((front (rear)) near5 (sc	5 8	BRS	8 8
	2002/06/18	USPAT; US-PGPUB	<pre>convey\$3 same ((front near5 (back rear)) near5 (scan\$4 read\$3))</pre>	102	BRS	87
	2002/06/18	USPAT; US-PGPUB	<pre>convey\$3 same ((front near5 (back rear)) near5 (scan\$4 read\$3 imag\$3) near5 (barcode dataform indicia label code symbol))</pre>	Q	BRS	8 6
	2002/06/18 12:40	USPAT; US-PGPUB	<pre>same ((front ar)) near5 (so mag\$3))</pre>	223	BRS	8 5
	2002/06/18 12:33	EPO; JPO; DERWENT; IBM_TDB	(distance movement moving moves travel\$4)) same (continuous\$2 constant\$2)	8	BRS	8 4
33日本の田田の口	Time Stamp	DBs	Sear	Hits	Туре	

	0	2002/06/19 15:25	USPAT 1	988251.URPN.	0 5	BRS	O A
0		06/	USPAT 2 1	3238080" "4321103" 421948" "5540795").PN.		BRS	94
0		2002/06/19	USPAT; 2	"6347740") or ("6325289") or 5308960") or ("5581636") or 5510603") or ("5430282") or 5988251") or 5869827")).PN.	8	IS&R	93
0		2002/06/18	EPO; JPO; DERWENT; IBM_TDB	box carton container good\$1 bject) same ((multiple)lural\$3 several second) near5 code\$1 indicia label\$1 arcode\$1 dataform\$1) near5 front rear back leading railing))	37 P 0 0	BRS	92
0		2002/06/18	USPAT; US-PGPUB	(box carton container good\$1 object) same ((multiple plural\$3 several second) near5 (code\$1 indicia label\$1 barcode\$1 dataform\$1) near5 (front rear back leading trailing))	153	BRS	91
0		2002/06/18	USPAT; US-PGPUB	object) same ((multiple plural\$3 several second) near5 (code\$1 indicia label\$1 barcode\$1 dataform\$1) near5 (surface\$1 side\$1 front rear back))) same (read\$3 scan\$4 imag\$3)	137	BRS	90
мнонны	Error Definition	Time Stamp m	DBs	Search Text	e Hit ts	Туре	

97 96 BRS BRS Type Hits 9 9 "5206491" "5286961" 5869827.URPN. "5475207").PN. ("4652732" "4939355" Search Text "5128520" "5229588" "5343029" "4867257" USPAT USPAT DBs Time Stamp m 2002/06/19 15:33 2002/06/19 15:29 Definition Error 0 0 инони

i

4 BRS I	3 BRS]	2 BRS	1 BRS	
L ₄ 9	L3 3	L2 4	L1 9	
 (((((CONVEY\$3 SAME (SCANN\$3 OR READ\$3))) SAME ((LOCATION OR DISTANCE OR OBJECT) NEAR3 (SENS\$3 OR DETECT\$3)))) SAME ((DATAFORM OR BARCODE) OR		® н	(235/454.ccls. 235/462.01.ccls. 235/462.22.ccls. 91 235/462.23.ccls. 91 235/462.31.ccls. 235/462.32.ccls. 235/462.32.ccls. 235/470.ccls.) and @pd>20020618	
USPAT;	DERWENT	USPAT; US-PGPUB	USPAT; US-PGPUB	
2002/10/31	2002/10/31 13:20	2002/10/31 13:19	2002/10/31 13:13	
				α ርተ ‡
0	0	0	0	ו מ

0		2002/10/31 13:29	2002/	EPO; JPO; DERWENT; IBM_TDB	convey\$3 near5 (read\$3 scan\$4 imag\$3) near5 (front leading) near5 (back rear trailing) and @pd>20020618	0 0	L7	BRS	7
0		,10/31	2002/10/3:	USPAT; US-PGPUB	((((((CONVEY\$3 SAME (SCANN\$3 OR READ\$3))) SAME ((MULTIPLE OR SEVERAL OR PLURAL\$3) NEAR3 (SENS\$3 OR DETECT\$3)))) SAME ((LOCATION OR DISTANCE OR OBJECT) NEAR3 (SENS\$3 OR DETECT\$3))) and @pd>20020618		F6	BRS	Q
0		,10/31	2002/10/31	EPO; JPO; DERWENT; IBM_TDB	(((((CONVEY\$3 SAME (SCANN\$3 OR READ\$3))) SAME ((LOCATION OR DISTANCE OR OBJECT) NEAR3 (SENS\$3 OR DETECT\$3))) SAME ((DATAFORM OR BARCODE) OR ((READABLE OR BAR OR OPTICAL) ADJ1 (INDICIA OR LABEL OR CODE)))) and @pd>20020618		Ľ5	BRS	U
инонны	Error Definition	の の の の の の の の の の の の の の	Time	DBs	Search Text	t H	#	Тур	*

••••••	2002/10/31
USPAT; US-PGPUB	2002/10/31
EPO; JPO; DERWENT; IBM_TDB	NT; 2002/10/31
USPAT; US-PGPUB	; 2002/10/3:
DBs	3g Time

15 B	14 B	13 E	12 E	
BRS	BRS	BRS	BRS	Typ e
L15	L14	L13	L12	r #
0	0	0	0	t H
convey\$3 near5 (continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3) near5 focus\$4 and @pd>20020618	(scan\$4 read\$3) same ((distance range mov\$5) near5 (focus\$3) near5 (continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3)) and @pd>20020618	(scan\$4 read\$3) same ((distance range mov\$5) near5 (focus\$3) near5 (continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3)) and @pd>20020618	convey\$3 same ((continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3) near5 focus\$4) and @pd>20020618	Search Text
EPO; JPO; DERWENT; IBM_TDB	EPO; JPO; DERWENT; IBM_TDB	EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB	DBs
2002/10/31	2002/10/31	2002/10/31 13:40	2002/10/31	Time Stamp
				C B Error Definition t
0	0	0	0	мнонны

20	19	18	17	<u> </u>	
₩	<u> </u>			16	
BRS L	BRS I	BRS	BRS	BRS	Тур
L20 1	L19	L18	L17 17	L16	۲
<u>б</u> 	0	4	17	0	# # #
convey\$3 same ((front near5 (back rear)) 16 near5 (scan\$4 read\$3 imag\$3)) and @pd>20020618	Convey\$3 same (focus\$4 near5 (distance movement moving moves trave1\$4)) same (continuous\$2 constant\$2) and @pd>20020618	(convey\$3 same (focus\$4 near5 (distance movement moving moves travel\$4))) same (continuous\$2 constant\$2) and @pd>20020618	convey\$3 same (focus\$4 near5 (distance movement moving moves travel\$4)) and @pd>20020618	Convey\$3 same ((continuous\$2 constant\$2) near5 (adjust\$4 correct\$3 chang\$3) near5 focus\$4) and @pd>20020618	
USPAT; US-PGPUB	EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB	USPAT; US-PGPUB	EPO; JPO; DERWENT; IBM_TDB	DBs
2002/10/31	2002/10/31	2002/10/31 13:54	2002/10/31	2002/10/31	Time Stamp
0					B Error Definition
	0	0	0	0	инонны

. :

0			10/31	2002/10/31 14:16	USPAT; US-PGPUB	iner good\$1) same iple plural\$3 al second) near5 %1 indicia %1 barcode\$1 %1 barcode\$1 %1 barcode\$1 %1 back))) read\$3 scan\$4) and 020618	9 H. 70 H. O. H.	Ľ24	BRS	2 4
0			10/31	2002/10/31 14:12	EPO; JPO; DERWENT; IBM_TDB	le ((front rear))	0	L23	BRS	23
0			2002/10/31 14:08	2002/	USPAT; US-PGPUB	convey\$3 same ((front near5 (back rear)) near5 (scan\$4 read\$3)) and @pd>20020618	D	L22	BRS	22
0	·		2002/10/31 14:06	2002,	USPAT; US-PGPUB	near5 (back rear)) near5 (scan\$4 read\$3 imag\$3) near5 (barcode dataform indicia label code symbol)) and @pd>20020618	1 0	L21	BRS	21
мнони	Error Definition	31日の加加の口	Stamp	Time	DBs	Search Te	# # # # # # # # # # # # # # # # # # #	P P	Тур	

: :

	0/31	2002/10/31 14:26	EPO; JPO; DERWENT; IBM_TDB	good\$1 object) same ((multiple plural\$3 several second) near5 (code\$1 indicia label\$1 barcode\$1 dataform\$1) near5 (front rear back leading trailing)) and @pd>20020618	L26 0	BRS	26
	0/31	2002/10/31	USPAT; US-PGPUB	(box carton container good\$1 object) same ((multiple plural\$3 several second) near5 (code\$1 indicia label\$1 barcode\$1 dataform\$1) near5 (front rear back leading trailing)) and @pd>20020618	L25 6	BRS I	N 5
Error Definition	s the p p o C	Time S	DBs	Search Text	# # ##	Тур е	

	6 BRS L7 2		0	5 BRS L6 25			4 BRS L5 1	BRS L5 1	BRS L4 11 BRS L5 1	BRS L3 1 BRS L4 11 BRS L5 1	BRS L3 1 BRS L4 11 BRS L5 1	BRS L3 1 BRS L4 11 BRS L5 1	BRS LZ 91 BRS L3 1 BRS L4 11 BRS L5 1	BRS L2 91 3 1 BRS L3 1 BRS L4 11 BRS L5 1	BRS L2 91 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	BRS L2 91 22 BRS L3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	BRS L2 91 3	BRS L2 91 32 BRS L3 1 11 BRS L5 1	Typ L # Hi ts BRS L2 91 22 BRS L3 1 BRS L4 11 BRS L5 1	Typ L # Hi ts BRS L2 91 BRS L3 1 BRS L4 11 BRS L5 1	Typ L # Hi ts BRS L2 91 32 BRS L3 1 BRS L4 11 BRS L5 1
LABEL OR CODE)))) and epd>20010426	SAME BARCODE) BAR OR	JECT) NEARS	Y\$3 SAME (SC <i>F</i>)) SAME				((ISHII-KAZUO.IN.) AND (NEC.AS.)) and @pd>2001042	UO.IN.) AND and @pd>2001042	uo.IN.) AND	amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	35/462.31.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	35/462.23.ccls. 35/462.31.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	35/462.22.ccls. 35/462.31.ccls. 35/462.31.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	35/462.01.ccls. 35/462.22.ccls. 35/462.23.ccls. 35/462.31.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	235/454.ccls. 35/462.01.ccls. 35/462.22.ccls. 35/462.33.ccls. 35/462.31.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	235/454.ccls. 35/462.01.ccls. 35/462.22.ccls. 35/462.33.ccls. 35/462.31.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	Search Text 235/454.ccls. 35/462.01.ccls. 35/462.22.ccls. 35/462.31.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	Search Text 235/454.ccls. 35/462.01.ccls. 35/462.22.ccls. 35/462.31.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042	Search Text 235/454.ccls. 35/462.01.ccls. 35/462.22.ccls. 35/462.31.ccls. 35/462.32.ccls. 35/462.32.ccls. 35/470.ccls.) and pd>20010426 amaguchi-Mikio.in. and pd>20010426 shii-Kazuo.in. and pd>20010426 (ISHII-KAZUO.IN.) AND NEC.AS.)) and @pd>2001042
	US-PGPUB		<u> </u>	DERWENT	DERWENT		<u>ი</u>	0	USPAT; US-PGPUB USPAT; US-PGPUB; EPO;	USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB; EPO;	USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB OS-PGPUB OS-PGPUB	USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB OS-PGPUB OS-PGPUB	US-PGPUB USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB ; EPO; 6 JPO;	USPAT; US-PGPUB USPAT; USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB ; EPO; JPO;	USPAT; US-PGPUB USPAT; USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB JPO;	USPAT; US-PGPUB USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB ; EPO;	USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB FEPO; FEPO;	USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB JPO;	USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB JPO;	USPAT; USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB ; EPO; JPO;	USPAT; US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB US-PGPUB JPO;
	10:38			2002/01/11 10:29			2002/01/11 10:29	2002/01/11	2002/01/11 10:23 2002/01/11 10:29	2002/01/11 10:23 2002/01/11 10:23 2002/01/11 2002/01/11 10:29		2002/01/11 10:23 2002/01/11 10:23 2002/01/11 2002/01/11	09:07 2002/01/ 10:23 2002/01/ 10:23 2002/01/ 10:29	2002/01/ 09:07 2002/01/ 10:23 2002/01/ 10:23 2002/01/ 2002/01/	2002/01/ 09:07 2002/01/ 10:23 2002/01/ 10:23 2002/01/ 10:29	2002/01/ 09:07 2002/01/ 10:23 2002/01/ 10:23 2002/01/ 10:29	2002/01/11 09:07 2002/01/11 10:23 2002/01/11 10:23 2002/01/11 10:23	2002/01/11 09:07 2002/01/11 10:23 2002/01/11 10:23 2002/01/11 2002/01/11 2002/01/11	Time Stamp 2002/01/11 09:07 2002/01/11 10:23 2002/01/11 10:23 2002/01/11 10:23	Time Stamp 2002/01/11 2002/01/11 2002/01/11 10:23 2002/01/11 10:23 2002/01/11 10:23	Time Stamp 2002/01/11 2002/01/11 2002/01/11 10:23 2002/01/11 10:23 2002/01/11 10:23
																		<u>м</u> н д	m Error Definition n t	Error Def	Error Def
•••••••••••	0		•••••	0		0			0	0 0	0 0	0 0	0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			

0		2002/01/11 10:48	USPAT; US-PGPUB	(convey\$3 near5 (second plural\$3 multiple several) near5 (reader reading scanner scanning imag\$3 camera\$1)) same (symbol code indicia label) and @pd>20010426	7	L 1 1	BRS	10
0		 2002/01/11 10:44	EPO; JPO; DERWENT; IBM TDB	read\$3 ear5 (front oack rear d>20010426	4	L10	BRS	9
0		2002/01/11	USPAT; US-PGPUB	(((((CONVEY\$3 SAME (SCANN\$3)) SAME OR READ\$3)) SAME ((MULTIPLE OR SEVERAL OR PLURAL\$3) NEAR3 (SENS\$3 OR DETECT\$3))) SAME ((LOCATION OR DISTANCE OR OBJECT) NEAR3 (SENS\$3 OR DETECT\$3))) and @pd>20010426	Н	19	BRS	8
0		2002/01/11 10:40	EPO; JPO; DERWENT; IBM TDB	ω	0	Г8	BRS	7
инонны	Error Definition	Time Stamp	DBs	Search Text	Hi ts	Ľ #	Тур	

	41 BRS	40 BRS	39 BRS	38 BRS	37 BRS	Туре
1136	44	60	0	0	0	Hits
convey\$3 near5 (second plural\$3 multiple several) near5 (reader reading scanner scanning imag\$3	convey\$3 near5 (read\$3 scan\$4 imag\$3) near5 (front leading) near5 (back rear trailing)	<pre>convey\$3 near5 (read\$3 scan\$4 imag\$3) near5 (front leading) near5 (back rear trailing)</pre>	OR DISTAN OR SENS\$3	(SCANN\$3 OR CATION OR DISTANCE ENS\$3 OR (MULTIPLE OR) NEAR3 (SENS\$3 OR >20001002	Y\$3 SAME (SCANN\$3 OR SAME (MULTIPLE OR SEVERAL 3) NEAR3 (SENS\$3 OR)) SAME ((LOCATION OR R OBJECT) NEAR3 (SENS\$3 OR) and @pd>20001002	Search Text
USPAT; US-PGPU 20 B	EPO; \$3) JPO; rear DERWENT 0; IBM TDB	\$3) USPAT; 2 rearUS-PGPU 0	IBM TDB	EPO; JPO; DERWENT 07	USPAT; US-PGPU B	DBs
2001/04/30	2001/04/30 08:50	2001/04/30 08:39	TDB 2001/04/30	2001/04/30 07:36	2001/04/30 07:35	Time Stamp
						C o m Error Definition e t
0	0	0	0	0	0	инонны

0		2001/04/30	USPAT; US-PGPU B	(("6206289") or ("6142376") or ("6135352") or ("6161759") or ("5966457") or ("4965829") or ("4675498") or ("5543607") or ("5331118")).PN.	9	IS&R	48
		2001/04/30	EPO; JPO; DERWENT; IBM TDB	convey\$3 near5 (rotary adj encod\$3)	45	BRS	47
0		2001/04/30	GPU	convey\$3 near5 (rotary adj encod\$3)	70	BRS	46
0		2001/04/30 09:22	; H	(convey\$3 near5 (second plural\$3 multiple several) near5 (reader reading scanner scanning imag\$3 camera\$1)) same (symbol code indicia label)	22	BRS	45
0		2001/04/30 09:21	K E	second plural\$) near5 (reade scanning imag\$	557	BRS	44
0		PAT; -PGPU 09:21	USPAT; US-PGPU B	(convey\$3 near5 (second plural\$3 multiple several) near5 (reader reading scanner scanning imag\$3 camera\$1)) same (symbol code indicia label)	61	BRS	43
инони	Error Definition	Time Stamp m	DBs	Search Text	Hits	Туре	

Type Hits Search Text DBs Time Stamp or the	H	ㅂㅣ	<u> </u>	9	8	7	0	5	42	ω	2	Н	
Hits Search Text	2	н			- Iri	н	TD)	ш	₩ .	- В	В	В	
Hits Search Text DBs Time Stamp C C C C C C C C C	IS&R	S :	Ω :	IS&R	3RS	3RS	3RS	RS					Уре
arch Text DBs Time Stamp C C C C C C C C C		ω	64	31	ωωω	ω	120	781	101	1	270	29	Hits
Time Stamp	462.31")	62.23")	.22").	62.01")	-KAZUO.IN.) AND	AND	Ishii-Kazuo.in.	Ishii-Kazuo.in.	IKIO.IN.)	AND	Yamaguchi-Mikio.in.	•	
Time Stamp e Error Definition t t t t t T T T T T T T T T T T T T T	USPAT	USPAT	USPAT	USPAT	USPAT; EPO; JPO; Derwent	USPAT	USPAT	USPAT; EPO; JPO; Derwent	EPO; JPO; Derwent	EPO; JPO; Derwent	EPO; JPO; Derwent	USPAT	DBs
Error Definition	2000/10/01 15:14	2000/10/01 15:10	2000/10/01	2000/10/01 14:53	2000/ 13:48	2000/10/01 13:27	2000/10/01 13:27		· · · · · · · · · · · · · · · · · · ·	000/10	2000/10/01 13:04	000/10/02 3:42	ime Stamp
Definition		ļ	ļ			ļ						<u> </u>	
													Definition

.

: ;

١,

2000/10/02 15:27		USPAT	"5525788"	6	BRS	20
	2000/10/02 14:40	USPAT	"5436439"	2	BRS	19
_ N)	2000/10/0 14:40	USPAT	("5436439").PN.	7 1	IS&R	18
N N	2000/10/02	USPAT	52814") 9714") 4241") 8276")	8	IS&R	17
N N	2000/10/02	USPAT	5525788") or ("6000618") 369827") or ("5510603") 633487") or ("5616909") 939355") or ("6102291") 016961") or ("5308960") 920255") or ("5311999") 481096") or ("5311999") 899687") or ("3728677") 800282") or ("3728677") 632993") or ("5770841") 900611") or ("5770841") 384452") or ("4656343") 701098") or ("3600556")	27	IS&R	16
02	000/10/ 2:18	USPAT	("235/454").CCLS.	. 977	IS&R	15
02	10/	USPAT	("235/470").CCLS.	367	IS&R	14
1	000/ 5:14	USPAT	("235/462.32").CCLS.	86	IS&R	13
	Time Stamp	DBs	Search Text	Hits	Туре	

• •

: :

0		2000/10/02 15:58	ent	(((CONVEY\$3 SAME (SCANN\$3 OR READ\$3))) EPO; SAME ((LOCATION OR DISTANCE OR OBJECT) JPO; NEAR3 (SENS\$3 OR DETECT\$3))) Derw	128	BRS	26
0		2000/10/02 15:57	EPO; JPO; Derwent	(CONVEY\$3 SAME (SCANN\$3 OR READ\$3))	12804	BRS	25
0		2000/10/02 15:58	USPAT	(((((CONVEY\$3 SAME (SCANN\$3 OR READ\$3))) SAME ((LOCATION OR DISTANCE OR OBJECT) NEAR3 (SENS\$3 OR DETECT\$3))) SAME ((DATAFORM OR BARCODE) OR ((READABLE OR BAR OR OPTICAL) ADJ1 (INDICIA OR LABEL OR CODE))))	23	BRS	24
0		2000/10/02	USPAT	ME (SON OR I	359	BRS	23
0		2000/10/02 15:57	USPAT	(CONVEY\$3 SAME (SCANN\$3 OR READ\$3))	31955	BRS	22
0		2000/10/02 15:34	USPAT	(("5235167") or ("5151581") or ("5132523") or ("5115121") or ("4933538") or ("4800256") or ("4792666") or ("4760248") or ("4418276") or ("4387297") or ("4360798") or ("4064390") or ("3847346") or ("3774014") or ("3728677")).PN.	15	IS&R	21
мноны	Error Definition	Time Stamp m	DBs	Searc	Hits	Туре	

• •

: ;

EPO;
USPAT
USPAT
EPO; JPO; Derwent
DBs

٠,